

THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., P.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.R.E.S.

K. G. V. SMITH, M.I.Biol., F.L.S., F.Z.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 120

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE
BRIGHTWOOD
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD

1984

CONTENTS

CONTRIBUTORS	iii
GENERAL INDEX	iv
SPECIAL INDEX –	
ARACHNIDA	vii
COLEOPTERA	vii
DERMAPTERA	ix
DICTYOPTERA	ix
DIPTERA	ix
EPHEMEROPTERA	x
HEMIPTERA	x
HYMENOPTERA	xi
ISOPTERA	xiii
LEPIDOPTERA	xiii
ODONATA	xiv
ORTHOPTERA	xiv
PHTHIRAPTERA	xiv
PSOCOPTERA	xiv
SIPHONAPTERA	xiv
TRICHOPTERA	xiv
GROUPS OTHER THAN INSECTA AND ARACHNIDA	xiv
ERRATA AND CORRIGENDA	xv

DATES OF PUBLICATION

January/February/March/April	26th March 1984
May/June/July/August	30th July 1984
September/October/November/December	30th November 1984

INDEX

This index covers the year 1984 (Vol. 120). Items occurring on the wrappers are indicated by Roman numerals. Prepared by Mrs A.V. Smith and Sir Christopher Andrewes, F.R.S.

INDEX TO CONTRIBUTORS

- Ackland, D.M., 20
 Alexander, K., 126
 Allen, A.A., 130, 143, 150, 162, 183, 202, 222, 236, 242
 Allenby, K.G., 217
 Anderson, R., 216
 Archer, M.E., 125
 Askew, R.R., 63
 Baez, M., 241
 Baldwin, A.J., 237
 Barber, A.D., 45, 87
 Bardner, R., 167
 Beaver, R.A., 99
 Bilton, D., 251
 Birkett, N.L., 32
 Blackman, R.L., 185
 Boorman, J., 161, 163
 Bowden, J., 197, 203
 Bradley, J.D., 137
 Brindle, A., 151
 Bryan, G., 115
 Carr, R., 222
 Chainey, J.E., 226
 Chandler, P.J., 107
 Clark, F., 59
 Collier, M., 252
 Compton, S.G., 193
 Cooter, J., 69
 Cox, J.M., 139
 Crichton, M.I., 166
 Cripps, M.J., 193
 Crow, P., 171, 184
 Crowson, R.A., 80, 128
 Deeming, J.C., 241, 242
 Dewhurst, C.F., 119, 226
 Disney, R.H.L., 127, 239
 Dolling, W.R., v, 98
 Doudu, Y.A., 47
 Eds., 1, 161, 192, 232
 Edwards, M., 236
 El Rayah, E.A., 155
 El Zubeir, N., 155
 Erzinçlioglu, Y.Z., 172
 Fennah, R.G., 81
 Ferguson, G.R., 55
 Fergusson, N.D.M., 229
 Fitton, M.G., 1
 Fleming, D.A., 131
 Foster, A.P., 54, 178
 Foster, G.N., 149
 Fowler, J.A., 113, 114
 Girling, M.A., 207
 Glen, D.M., 109
 Goodyear, K.G., 150
 Gough, H.J., 127
 Green, M., 118
 Hammond, P.M., 196
 Hamon, M., 167
 Hancock, E.G., 210
 Harris, K.M., 92, 143
 Hassell, M.P., 173
 Hayes, A.H., 166, 184
 Hopkins, M.J.G., 187
 Horsfield, D., 144, 162
 Hutson, A.M., 244
 I.C.Z.N., iv, 96, 228, 235
 Jacob, J.A., 131
 Kenward, H., 225, 236
 Kirby, P., 6, 177, 222, 283
 Koster, G., 115
 Lawson, B.W.L., 47
 Lee, J.B., 167
 McGavin, G.C., 141
 MacGowan, I., 80, 126, 165
 McNeil, D.A.C., 59
 Martin, S., 243
 Mill, A.E., 179
 Morgan, M.J., 97
 Nelson, J.M., 57
 Nixon, G.E.J., 93
 O'Connor, J.P., 54, 102
 O'Connor, M.A., 54, 102
 Ormerod, S.J., 178
 Owen, J.A., 223, 258
 Payne, R.M., 118
 Pont, A.C., 7
 Povel, C., 115
 Quicke, D.L.J., 37, 73
 Rather, A.Q., 103
 Read, R.W.J., 46, 53, 118, 228
 Shave, P., 215
 Shaw, M.R., 154
 Shirt, D.B., 202
 Smith, K.G.V., iv, 86, 128, 186, 195, 196, 216, 233, 252
 Snow, K.R., 21
 Spriggs, A. Kirk-, 222
 Starzyk, J.R., 33
 Stroyan, H.L.G., 145
 Thompson, J.L. Cloudsley-, 144
 Tuck, M.V., 140
 Turner, B.D., 211
 Vardy, C.R., 55, 129
 Verdcourt, B., 172
 Walters, L.M. Jones-, 114
 Watson, A., 145
 Watt, K.R., 54
 Webb, N.R., 140
 Welch, R.C., 98, 196, 206
 Williams, D.J., 139, 227
 Williams, P.H., 108
 Williams, S.A., 107
 Williams, L. Allen-, 167
 Wiltshire, C.W., 109
 Winter, T.G., 245
 Withers, P., 240

GENERAL INDEX

- African; army worm, *Spodoptera exempta* (Lep., Noctuidae), some observations on the mating habits of, 119; North, two new species of *Bombylius* (Dipt., Bombyliidae), one new to science, 203
- Afrotropical region, two new genera of Braconinae from the, with a partial review of those genera with 'merinotoid' metasomas (Hym., Braconidae), 37
- Aquatic Coleoptera, records from the Winfrith and Tadmoll areas of Dorset, 178
- Autumnal Odonata, a new British record for, 150
- Biting of human skin by coccinellid beetles, a further note, 127
- Britain, A *Culicoides* (Dipt., Ceratopogonidae) new to, 161; a new species of *Culicoides* (Dipt., Ceratopogonidae) from, with notes on synonymy, 163; a note on *Autalia longicornis* (Col., Staphylinidae) in, 223; further notes on *Hydroporus elongatulus* (Col., Dytiscidae) in, 149; *Triphleba subcompleta* (Dipt., Phoridae) new to, 127; two injurious mealybugs (Hem., Hom., Coccoidea, Pseudococcidae) new to, 227; two species of Aphididae (Hem.) new to, 185
- British, an earlier record of *Neocnemodon brevidens* (Dipt., Syrphidae), 107; coniferous forests, *Dasytyrphus friuliensis* (Dipt., Syrphidae) as a long-term resident in, 171; *Cymindis macularis* (Col., Carabidae) confirmed as, 107; record for autumnal Odonata, 150; species of *Trissolcus* (Hym., Proctotrupoidea, Scelionidae), 229
- Cairngorms, unusual concentration of aphids at high altitudes in the, 145
- Cambridgeshire, *Adistemia watsoni* (Col., Lathridiidae) in, 206; *Nudobius lentus* (Col., Staphylinidae) from field maple in Monks Wood N.N.R., 196; *Stichoglossa semirufa* (Col., Staphylinidae) in, 98
- Canary Islands, *Hemeromyia anthracina* (Dipt., Carnidae) in the, 241
- Carlisle, *Helophorus tuberculatus* (Col., Hydrophilidae) from Roman, 225
- Cheshire, aquatic Coleoptera of, 217
- Cheviot area, Chilopoda and Diplopoda from the, 87
- Classification of Nogodinidae (Hem., Fulgoroidea) with descriptions of a new genus and a new species, 81
- Coconut, a means of transportation of high humidity dependent organisms, 215
- Colombia, two new Psocoptera from, 211
- Cornwall, fleas from nests of house martins in, 59
- Corrections, 161, 202
- Cumberland, four water beetles (Col., Dytiscidae) new to, including *Hydroporus scasianus*, 251; *Euophryum confine* (Col., Curculionidae) in, 46
- Cumbria, *Pholcus phalangoides* (Arachnida, Araneae) in Ulverston, 210; *Phryno vetula* (Dipt., Tachinidae) new to, 32; second record of *Otiorynchus porcatus* (Col., Curculionidae) from west, 53
- Dearth of insects, some replies concerning *Aromia moschata* (Col., Cerambycidae), 172
- Derbyshire, fleas from nests of house martins in, 59; Heteroptera colonising demolition sites in Derby, 253; *Monosynamma sabulicola* (Hem., Miridae) in, 222
- Devon, *Helophorus longitarsis* (Col., Hydrophilidae) in, 242
- Diets of *Adalia decempunctata* (Col., Coccinellidae), notes on insolation, voltinism and, 237
- Digitalis, *Apteropoda orbiculata* (Col., Chrysomelidae) in association with, 118
- Dispersal, wind assisted, of *Tortrix viridana* (Lep., Tortricidae) from West Sussex, 245
- Distribution, notes on the, of *Phenacoccus parvus* (= *surinamensis*) syn. n. (Hem., Pseudococcidae), 139
- Dumfriesshire, confirmation of *Tropidia scita* (Dipt., Syrphidae) from Caerlaverock; and a new site record from Edinburgh, 54
- Edinburgh, new site record from, of *Tropidia scita* (Dipt., Syrphidae), 54
- Editorials, 192, 232
- Exploding termites – an unusual defensive behaviour, 179
- Extractor for orchard insects, a funnel type, 109
- Fiji, the biology of the ambrosia beetle, *Sueus niisimai* (Col., Scolytidae) in, 99
- Flowers of *Hieracium speluncarum*, insects on, 118
- Ghana, life history and seasonal occurrence of the Tossa jute defoliator, *Acraea terpisicore* (Lep., Nymphalidae) in, 47
- Gravenhorst Ichneumonidae (Hym.) in Oxford, 1
- Gynandromorphism, rare case of bilateral, in *Rhagium mordax* (Col., Cerambycidae), 33
- Hampshire, *Helophorus dorsalis* (Col., Hydrophilidae) in North, 236; *Odonotaeus armiger* (Col., Scarabaeidae) on Martin Down N.N.R., 114
- Highland Region, notes on *Blera fallax* (Dipt., Syrphidae), 80

- Holotype of *Megaselia minor* (Dipt., Phoridae) and two new synonyms, 239
- Hornet, *Vespa crabro* (Hym., Vespidae), an attempt to rear in captivity an incipient nest of the, 93; secondary nests of, 125
- Humidity and temperature, the effect of on the egg period, larval instars and oviposition, of *Dermestes haemorrhoidalis* (Col., Dermestidae), 131
- Identity of *Haplodiplatys severus* (Derm., Pygidicranidae), 151
- India, a new genus of Mydidae (Dipt.) from, 197; new species and a new record of the genus *Amblydromella* (Acarina, Phytoseiidae) from, 103
- Indo-Australian Braconinae (Hym., Braconidae), three new genera of, 73
- Inland records of *Chorosoma schillingi* (Hem., Rhopalidae), 177
- Insolation, voltinism and diets of *Adalia decempunctata* (Col., Coccinellidae), 237
- International Commission on Zoological Nomenclature, iv, 96, 228, 235
- Ireland, the fir seed chalcid, *Megastigmus pinus* (Hym., Torymidae) new to, 102
- Irish records of *Euophryum confine* (Col., Curculionidae), some recent, 216; of *Pyrochroa serraticornis* (Col., Pyrochroidae), two, 54
- Jute defoliator, Tossa, life history and seasonal occurrence of the, *Acraea terpsicore* (Lep., Nymphalidae) in Ghana, 47
- Kent, *Helophorus dorsalis* (Col., Hydrophilidae) in suburban west, 236; notes on some local Hydrophilidae (Col.) in, 203
- Kenya, mass movement of *Tridactylus madecassus* (Orth., Tridactylidae) and other insects in, 226
- Khartoum (Sudan), on the dragonfly fauna of, 155
- Kuwaiti Desert, large numbers of Coccinellidae (Col.) in the, 144
- Larva of *Endomychus coccineus* (Col., Endomychidae), 162
- Larvae of British mosquitoes (Dipt., Culicidae), the identification of, 21
- Larval instar determination of the pea and bean weevil *Sitona lineatus* (Col., Curculionidae), 167
- Leicestershire and Rutland, meniscus midges (Dipt., Dixiidae) new to, 113
- London, eighteenth century records of human lice (Phthiraptera, Anoplura) and fleas (Siphonaptera, Pulicidae) in the City of, 207; *Helophorus longitarsis* (Col., Hydrophilidae) in Devon and recaptured in S.E. [London], 242; *Volucella zonaria* (Dipt., Syrphidae) in central, 118
- Madagascar, a new species of *Stylogaster* (Dipt., Conopidae, Stylogasterinae) from, 233
- Mass movement of *Tridactylus madecassus* (Orth., Tridactylidae) and other insects in Kenya, 226
- Mating habits of the African army worm, *Spodoptera exempta* (Lep., Noctuidae), 119
- Meade, R.H., The Fanniidae, Anthomyiidae and Muscidae (Diptera) described by, 7
- Mines on *Rubus*, *Stigmella aurella* and *S. splendidissima* (Lep., Nepticulidae) a method of distinguishing, 115
- Mixed species, Is *Chlorion viridocoeruleum* (Hym., Sphecidae) a?, 129
- Nests, incipient, of the hornet, *Vespa crabro* (Hym., Vespidae), an attempt to rear in captivity, 93; secondary, of *Vespa crabro* (Hym., Vespidae), 125
- Norfolk, *Megalonotus sabulicola* (Hem., Lygaeidae) in, 6; *Microvelia umbricola* (Hem., Veliidae), a fourth locality for, 183; some Conopidae (Dipt.) of the Breckland, 238
- North-west Highlands, some records of *Nebria nivalis* (Col., Carabidae) and *Stenus glacialis* (Col., Staphylinidae) in the, 144
- Obituary, Professor G.C. Varley, 173
- Orchard insects, a funnel type extractor for, 109
- Overwintering in stems of *Angelica sylvestris*, *Ischnodemus sabuleti* (Hem., Lygaeidae), 141
- Paint, fresh, *Phagocarpus permundus* (Dipt., Tephritidae) attracted to, 195
- Parasite, complex associated with stem boring *Apion* (Col., Curculionidae) feeding on *Rumex* species (Polygonaceae), 187; record, a new, for *Protocalliphora azurea* (Dipt., Calliphoridae), 172
- Pea and bean weevil, *Sitona lineatus* (Col., Curculionidae), larval instar determination of the, 167
- Philippines, two new species of *Agathidium* (Col., Leiodidae) from the, 69
- Postscript on *Stenus glacialis* (Col., Staphylinidae), 130
- REVIEWS. — Burakowsky, B., Mroczkowski, M. & Stefanska, J., 1971+, *Katalog Fauny Polski*, Czesk XXIII, Chrzasczke: Coleoptera, 80; Chvala, M., 1983, *The Empidoidea (Diptera) of Fennoscandia & Denmark, II, General Part, the Families Hybotidae, Ateletidae & Microphoridae*, 216; [Cotton Insects], 36th Annual Conference Report on Cotton-insect Research and Control, 92; Crane, E. & Walker, P., 1983, *The Impact of*

- Pest Management on Bees and Pollination*, 143; **Day, R.A.**, 1983, *How to Write & Publish a Scientific Paper*, 2nd Ed., iv; **Disney, R.H.L.**, 1983, *Handbooks for the Identification of British Insects*, Scuttle Flies (Diptera, Phoridae) except *Megaselia*, 196; **Freeman, P.**, 1983, *Handbooks for the Identification of British Insects*, Sciarid Flies, 244; **Gilbert, P. & Hamilton, C.J.**, 1983, *Entomology: A Guide to Information Sources*, 252; **Griffiths, G.C.D.**, 1983, *Flies of the Nearctic Region*, Vol. VIII Cyclorrhapha II (Schizophora Calyptratae) Pt 2 Anthomyiidae No. 1, 20; **Hammond, C.O.** (revised Merritt, R.), 1983, *The Dragonflies of Great Britain and Ireland*, 128; **Hanson, M.W.**, 1983, *Lords Bushes, the History & Ecology of an Epping Forest woodland*, 186; **Heath, J., Maitland Emmet, A.**, et al., (eds), 1983, *The Moths and Butterflies of Great Britain and Ireland*, Vol. 10, Noctuidae (Part II) & Agaristidae, 184; **Hodges, R.W.** et al., 1983, *Check List of the Lepidoptera of America North of Mexico*, 137; **Lorimer, R.I.**, 1983, *The Lepidoptera of the Orkney Islands*, 166; **Malicky, H.**, 1983, *Atlas of European Trichoptera*, 166; **O'Brien, C.W. & Wibmer, G.J.**, 1982, *Annotated Checklist of the Weevils (Curculionidae sensu lato) of North America, Central America and the West Indies*, 128; **Pechuman, L.L., Webb, D.W. & Teskey, H.J.**, 1983, *The Diptera, or True Flies of Illinois*, 1. Tabanidae, 226; **Péricart, J.**, 1983, *Hémiptères Tingidae Euro-Méditerranéens*, Faune de France Vol. 69, v; **Redfern, M.**, 1983, *Insects and Thistles*, 86; **Smith, K.G.V. & Smith, A.V.**, 1983, *A Bibliography of the Entomology of the Smaller British Offshore Islands*, 98; **Thorp, R.W., Horning, D.S. Jr., & Dunning, L.L.**, 1983, *Bumble Bees and Cuckoo Bumble Bees of California (Hymenoptera: Apidae)*, 108
- Restoration of a name in the genus *Tychius* (Col., Curculionidae), 143
- Roman Carlisle, *Helophorus tuberculatus* (Col., Hydrophilidae) from, 225
- Ross, *Bembidion virens* (Col., Carabidae) in Easter, 258
- Rumex*, the parasite complex associated with stem-boring *Apion* (Col., Curculionidae) feeding on, 187
- Rutland and Leicestershire, Meniscus midges (Dipt., Dixidae) new to, 113
- Scotland, *Aphelocheirus aestivalis* (Hem.-Het., Aphelocheiridae) in, with a note on its habitat, 202; *Blera fallax* (Dipt., Syrphidae), in, 80; *Cheilosia chrysocoma* and *C. nebulosa* (Dipt., Syrphidae) in, 165; *Ectemnius cavifrons* (Hym., Sphecidae) in, 154; *Parhelophilus versicolor* (Dipt., Syrphidae) in, 80; Records of some uncommon Dolichopodids and other Diptera from Southern, 57; *Servillia ursina* (Dipt., Tachinidae) in Central, 126
- Shetland, The status of *Dixella martinii* (Dipt., Dixiidae) in, 114
- Size difference between the sexes of *Aphodius prodromus* (Col., Scarabaeidae), 243
- Staffordshire, Aquatic Coleoptera of, Cheshire and, 217
- Sudan, On the dragonfly fauna of Khartoum, 153
- Surrey, *Amara nitida* (Col., Carabidae) in, 222; two further records of *Chorisops nagatomii* (Dipt., Stratiomyiidae), 150
- Sussex, wind assisted dispersal of *Tortix viridana* (Lep., Tortricidae) from West, 245
- Swarming behaviour in *Acropera orbicula* (Dipt., Acroceridae), a further observation on, 236
- Synonym, *Vespa serripes* F. of *Cerceris arenaria* (L.) (Hym., Philanthidae), 55
- Temperature and humidity, the effect of on the egg period, larval instars and oviposition of *Dermestes haemorrhoidalis* (Col., Dermestidae), 131
- Tossa jute defoliator, *Acraea terpsicore* (Lep., Nymphalidae), life-history and seasonal occurrence of the, in Ghana, 47
- Type specimens and identity of the British species of *Trissolcus* (Hym., Proctotrupidae, Scelionidae), 229
- Undescribed male of *Milichia patrizii* (Dipt., Milichiidae), the previously, 242
- Variation in *Cirrospilus vittatus* (Hym., Eulophidae) and the description of a new species from Britain, 63
- Voltinism, insolation and diets of *Adalia decempunctata* (Col., Coccinellidae), 237
- Wales, Chrysomelidae (Col.) in North, 97; *Drupenatus nasturtii* (Col., Curculionidae) in, 252; *Eriozona syrphoides* (Dipt., Syrphidae) - scarcity in Merioneth, north, 184; *Oeciacus hirundinis* (Hem., Cimicidae) a new record for, 222
- West Ross, *Delia caledonica* (Dipt., Anthomyiidae) and other Diptera from the Fannich Hills, 162
- Willow family, weevils and the, a correction and comment, 202
- Wind assisted dispersal of *Tortix viridana* (Lep., Tortricidae) from West Sussex, 245
- Yorkshire, mass migration of *Meligethes aeneus* (Col., Nitidulidae) at Bampton Cliffs, 236

SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (*).

ARACHNIDA

- Amblydromella, 103-7; *dalii*, 105-6;
denmarki, 103-5; *malicolus*, 104;
sapiens, *umbratus*, *zafari*, 106
Anthoseius, 103
Calepitrimerus vitis, 106
Centruroides ornatus, 235
Centrurus limpidus, 235
Eriophyes erineus, 105
Pholcus phalangioides, 210
Tetranychus cinnabarinus, 106; urticae,
105
Tydeid [mites], 106
Typhlodromella, 103
Typhlodromus, 103
Tyrophagus longior, putrescentiae, 215

COLEOPTERA

- Acalles roboris, turbatus, 98
Acidota crenata, 126
Acilius canaliculatus, 251; sulcatus, 219,
221, 251
Adalia bipunctata, 237; decempunctata, d.
ab. guttatopunctata, d. ab.
decempustulata, 237-8
Adistemia watsoni, 206
Agabus affinis, 178; arcticus, 258;
biguttatus, 251; bipustulatus, 219;
conspersus, 54; didymus, melanocornis,
nebulosus, sturmi, 219
Agathidium andrewsi, **angelinii**,
biimpressum, celebense, coomani,
duofoveatum, globulosum, grouvellei,
laticorne, maculicollis, **puncticollis**,
semirufum, 69-72
Aleocharinae, 80
Amara alpina, 258; nitida, montivaga, 222
Anacaena globulus, limbata, 219
Anaspis frontalis, 118
Anthophagus alpinus, 126
Anthribidae, 128
Aphodius, lapponum, 258; prodromus, 243
Aphthona atrocaerulea, 97
Apion affine, cruentatum, curtirostre,
dichroum, frumentarium, hydrolapathi,
marchicum, miniatum, rubens,
sanguineum, violaceum, 187-91
Apionidae, 128
Apteropeda orbiculata, 118
Aromia moschata, 172
Arpedium brachypterum, 126
Atheta tibialis, 126
Attagenus pelli, 209
Autalia impressa, longicornis, 223-5
Bembidion atrocoeruleum, prasinum,
tetracolum, unicolor, virens, 258
Berosus signaticollis, 54
Bothrosternini, Bothrosternus, 101
Brachinini, 80
Brenthidae, 128
Brychius elevatus, 178
Bryoporus rugipennis, 144
Byrrhus murinus, rubidus, undulatus, 235
Calosoma inquisitor, 126
Camptocerus, 101
Cantharis abdominalis, obscura, paludosa,
126
Carabidae, 80
Carabus glabratus, 126
Cassida hemisphaerica, prasina,
sanguinolenta, 97
Catopidae, 80
Cephennium gallicum, 98
Ceropales, 96
Ceutorhynchus assimilis, 236
Chaetocnema sahlbergi, 97
Chalcoides plutus, 97
Choleva angustata, 98
Chrysolina haemoptera, marginata,
oriscalia, 97
Chrysomela aenea, 126
Cicindelidae, Cicindelinae, 80
Coccinella, 127; septumpunctata, 144
Coelambus impressopunctatus, 218
Coloniidae, 80
Colymbetes fuscus, 219
Copelatus haemorrhoidalis, 218
Corthylina, Corthylini, 101
Cryphalini, 100-1
Cryptocephalus bipunctatus, moraei,
parvulus, punctiger, 97
Cryptolestes ferrugineus, 225; sp., 109
Cymbiodyta marginella, 219
Cymindis macularis, 107
Cypha hanseni, 98
Dasycteridae, 80
Dendroxena quadrimaculata, 126
Dermestes harmorrhoidalis, 131-7;
lardarius, 137
Donacia bicolora, semicuprea, 97
Dorytomus filirostris, dejeani, longimanus,
validirostris, 202
Dropephylla grandiloqua, 216
Drupenatus nasturtii, 252
Dryocoetini, 100
Dryops anglicanus, 149
Dytiscus circumcinctus, 219-21;
circumflexus, 54, 219-21; marginalis,
219, 251
Elleschus bipunctatus, 202
Endomychus coccineus, 162
Enochrus affinis, 219; bicolor, 220-1;
testaceus, 219
Ergates faber, 33
Eudectus whitei, 144, 258

- Euophryum confine*, 46, 216
Eurhin, *Eurhinus*, 128
Galerucella grisea, 97
Geodromicus longipes, *nigrita*, 126
Graptodytes bilineatus, 54, *flavipes*, 178
Gyrinus bicolor, *marinus*, 219, 221;
minutus, 251; *substriatus*, 219, 221;
urinator, 178, 219, 221
Habrocerinae, 80
Haliphus confinis, *flavicollis*, *fluviatilis*,
 218, 220; *heydeni*, 178; *immaculatus*,
lineatocollis, *lineolatus*, *ruficollis*,
wehnckei, 218
Helochares lividus, *punctatus*, 219
Helophorus aequalis, 219; *affinis*, 242;
brevipalpis, 219; *dorsalis*, 236; *grandis*,
 219; *granularis*, 222; *griseus*,
longitarsus (= *diffinis*), 242; *minutus*,
 219; *nanus*, 222, 242; *tuberculatus*, 225
Hippuriphila modeeri, 97
Histeroidea, 80
Hydradephaga, 80
Hydraena brittini, 222; *palustris*, 149;
pulchella, 222
Hydrobius fuscipes, 219
Hydrochus ignicollis, 149
Hydrophiloidea, 80
Hydroporus cantabricus, 178; *dorsalis*,
 218, 251; *elongatulus*, 149;
erythrocephalus, 218; *glabriusculus*,
 149; *incognitus*, *memnonius*, *palustris*,
planus, *pubescens*, 218; *scalesianus*,
 149, 251; *striola*, *umbrosus*, 218
Hygrobia herrmanni, 218
Hygrotus inaequalis, *versicolor*, 218
Hyleops, 101
Hyorrhynchini, 99, 101
Hyorrhynchus pilosus, 99
Hyphydrus ovatus, 218
Hypocryphalus mangiferae, 228
Hypocryptinae, 80
Hypothermus curtippennis, 101
Ilybius ater, *fenestratus*, *fuliginosus*, 219;
quadriguttatus, 178; *subaeneus*, 219-20
Ithycerus, 128
Laccobius atratus, *atrocephalus*, 178;
bipunctatus, *minutus*, 219
Laccophilus minutus, 218
Leiodidae, 80
Leptinidae, 80
Leptura rubra, 33
Lochmaea crataegi, 126
Longitarsus curtus, *gracilis*, *holsaticus*, 97
Malthodes guttifer, *mysticus*, 126
Melandrya caraboides, 126
Meligethes aeneus, 118, 236
Micropeplus tesseraula, 98
Mycetopus angularis, *bauderi*, *lepidus*,
 144
Nanophyinae, 128
Nebria gyllenhalii, 144; *nivalis*, 144, 258
Nemonychidae, 128
Neohyorrhynchus, 99
Noterus clavicornis, *crassicornis*, 218
Nudobius lentus, 196
Ochrosis ventralis, 97
Ochthebius lenensis, 258; *pusillus*, 222
Odontaeus armiger, 144
Olophrum fuscum, 126
Omphronini, 80
Orectochilus villosus, 179
Oryzaephilus surinamensis, 225
Otiorynchus porcatus, 53
Oulimnius tuberculatus, 219
Pentarthrum huttoni, 216
Phloeosinini, 101
Phyllobrotica quadrimaculata, 97
Phyllotreta atra, *cruciferae*, 97
Phytobius quadricornis, 149
Phytodecta olivacea, 97; *pallida*, 126
Platambus maculatus, 219
Platypodinae, 128
Porhydrus lineatus, 218
Potamonectes assimilis, 218; *depressus*,
elegans, 202
Prasocuris junci, 97
Prionychus ater, *melanarius*, 161
Pselaphus dresdensis, 149
Pseudohyorrhynchus, 99
Psylliodes chrysocephala, 97
Pterostichus aethiops, *anthracinus*,
oblongopunctatus, 126
Ptiliidae, 80
Pyrochroa serraticornis, 54
Rhagium mordax, 33-6
Rhantus exsoletus, 219-21
Rhopalocerus, 235
Rhynchaenus populi, 202
Rhynchitidae, 128
Scarites nitidulus, 226
Scarodytes halensis, 218, 220
Scolytidae, *Scolytini*, 101
Scolytinae, 128
Scolytoplatypodini, 101
Scolytoplatypus, 101
Sitona cylindricollis, *hispidulus*, *humeralis*,
 167; *lineatus*, 167-71, 236;
regensteiniensis, *scissifrons*, 167
Sitophilus granarius, 225
Spartycerus, 235
Sphaeroderma rubidum, 97
Staphylinidae, *Staphylininae*, 80
Staphyliniinae, 80
Stegobium paniceum, 209
Stenus glacialis, 130, 144
Stichoglossa semirufa, 98
Sueus niisimai, 99-101; *sphaerotrypoides*,
 99
Tachyporinae, 80
Timarcha goettingensis, 97
Trechus rubens, 126
Trichophyinae, 80
Trox scaber, 209
Tychius flavicollis, *squamulatus*, 143
Xyleborini, 100-1
Xyloterini, 101
Zeugophora, 96

DERMAPTERA

- Diplatys coerulescens*, hamatus, jansonii, malcolmi, severus, sp., 151-4
Haplodiplatys convexiusculus, hincksi, severus, 151-4

DICTYOPTERA

- Caeparia*, 96

DIPTERA

- Acrocera orbicula*, 236
Aedes annulipes, cantans, caspius, cinereus, communis, detritus, dorsalis, flavescens, geniculatus, leucomelas, punctor, rusticus, sticticus, vexans, 21-32
Agromyza alnibetulae, 67
Anopheles algeriensis, atroparvus, claviger, labranchiae atroparvus, messeae, plumbeus, 21-32
Aphrosylus celtiber, ferox, 58
Atractocera latipes, 235
Blera fallax, 80
Boletina groenlandica, 162
Bombylius argentifrons, **audcenti**, canescens, cathariniensis, 203-6
Cacatuopyga, 198
Calliphora alpina, 162
Callitroga, 235
Campsicnemus compeditus, 162; pusillus, 58
Charimydas, 197-201; **decoratus**, 198-201
Cheilosia chrysocoma, nebulosa, 165; paganus, 118
Chorisops nagatomii, tibialis, 150
Chrysops, 226
Clinocera nivalis, 162
Cochliomyia, 235
Conops flavipes, quadrifasciatus, strigatus, vesicularis, 240
Coquillettidia, 21, 29; richiardii, 22, 29
Crataerina hirundinis, 222
Culex apicalis, modestus, molestus, pipiens, territans, torrentium, 21-32
Culicoides clintoni, 163-5; cubitalis, odibilis, pictipennis, 163; reconditus, *riouxi, 161; sylvarum, 163-5; truncorum, 163-4; vexans, 165
Culiseta alaskaensis, annulata, fumipennis, litorea, longiareolata, morsitans, subochrea, 21-32
Cynomya mortuorum, 162
Dasysyrphus friuliensis, venustus, 171
Delia antiqua, 10; caledonica, 162; frontella, 11; piliventris, 162
Dilophus febrilis, 236
Dixa dilatata, maculata, nebulosa, nubilipennis, puberula, submaculata, 113
Dixella aestivalis, amphibia, attica, autumnalis, filicornis, martinii, obscura, serotina, 113-4
Dolichopus maculipennis, 57
Drosophila, 195; melanogaster, sp., 215
Drymeia brumalis, 17; hamata, 118
Eccoptomera longiseta, 58
Empis livida, 118
Episyrphus balteatus, 118
Eriozona syrphoides, 184
Eristalis arbustorum, nemorum, tenax, 118
Eustalomyia festiva, 58
Fannia coracina, 16; lepida, mutica, nigrisquama, 13; vesparia, 8, 16
Helina fratercula, 16; meadei, 17; trivittata, 10
Helophilus sp., 94
Hemeromyia anthracina, obscura, remotinervis, washingtona, 241-2
Homalomyia nigrisquama, 13, 18; spissata, 16, 18; vesparea, 16; vesparia, 16, 18
Hydrellia sp., 118
Hydrophoria fusca, 12
Hydrophorus rufibarbis, 58, 162
Hydrotaea albipuncta, 11-2; fasciculata, 11, 14, 18; militaris, 118; palaestrica, 14; parva, 13, rondanii, 14; similis, 15, 18
Hyetodesia dubia, 11, 18
Lasiomma meadei, 17
Lasiops meadei, 16
Limnophora meadei, rufimana, trianguligera, 17
Lophosceles cinereiventris, 14
Lucilia caesar, 118
Macrocera parva v. parva, 162
Mansonina, 22
Massalonia betulifolia, 67
Megaselia, 196; angustifrons, bipunctata, luminosa, minor, m. minor, m. politifrons, minuta, 239-40
Melisaeva auricollis, 118
Meoneura spp., 241
Metasyrphus corollae, 118
Milichia patrizii, 242
Mycetophilidae, iv
Mydaea affinis, 9-10, 18; detrita, 9, discimana, 9-10, 18; longitarsis, 12, 18; meadei, 17
Mydas, 197
Neoascia podagrica, 118
Neocnemodon brevidens, vitripennis, 107
Ochthera exsculpta, iv
Orthopodomyia pulchripalpis, 21-32
Paraphytomyza heringi, 67
Paraprosalpia atronitens, 162
Paregle cinerella, 118
Parhelophilus versicolor, 80
Pegohylemyia seneciella, 15; striolata, 118
Pegomya holosteae, 20
Phagocarpus permundus, 195
Phaonia, 12; erronea, 13; fusca, 12; gobertii, 11; morio, subfuscinervis, 162
Phoraea (s.g.), 20

- Phorbia cepetorum*, 10, 18; *exigua*, 11, 18;
neglecta, 13, 18; *seneciella*, 15, 18
Phryno vetula, 32
Physocephala rufipes, 240
Phytomyza harlemensis, *ranunculi*,
syngenesiae, 67
Piophila casei, 215
Platycheirus albimanus, *manicatus*,
scutatus, 118
Pogonomyia alpicola, *meadei*, 17
Polietes hirticrura, 12
Potamia littoralis, 17
Protocalliphora azurea, 172
Pseudonupedia intersecta, 13
Rhamphomyia longipes, 118
Scaeva pyrastris, 118
Scathophaga tinctinervis, 58
Scatopsciara tilicola, *vivida*, 244
Servillia ursina, 126
Sicus ferrugineus, 240
Siphona geniculata, 118
Spilogaster atripes, 10, 18; *meadei*, 17;
spinifemorata, 15-6, 18
Spilogona meadei, 17; *triangulifera*, 162
Stylogaster nilssoni, 233-5; *camrasi*, *nitens*,
234
Syritta pipiens, 118
Syrphus ribesii, 118, *venustus*, 171
Tabanus longus, *quaesitus*, 226
Taeniorhynchus, 22
Teichomyza fusca, 209
Tephritid larvae, 195
Teucophorus spinigerellus, 58
Theobaldia, 22
Thricops hirtulus, 162; *rostrata[us]*, 14, 162
Tipula ferruginea, iv
Trichophthicus pulcher, 14, 18; *rostrata*, 14
Triphleba lugubris, **subcompleta*, 127
Tropidia scita, 54
Volucella zonaria, 118

EPEHEMEROPTERA

- Leptophlebia vespertina*, 221

HEMIPTERA

- Acalypta nigrina*, 144
Acrisius, 81
Afronias, 81, 85
Alleloplasis, 81-2
Anaptus major, 255-7
Anthocoris nemorum, 255
Aphelocheirus aestivalis form *montandoni*,
202
Berytinus montivagus, 255-6
Bilbilicallia, 81, 84
Bilbilibis, 81-2, 84; *caligula*, 81-4; *dorsalis*
(comb. n.), 83; *modesta*, 82, 84
Bladinini, 81-2, 85
Calocoris norvegicus, 255

- Chlamydatus saltitans*, 255-7
*Chorizococcus *brevicruris*, 227
Chorosoma schillingi, 177
Cimex columbarius, *lectularius*, 208; sp.,
222
Cinara pineae, 184
Colmadona, 85
Danepteryx, 81-2
Diazanus, 86
Dictyobia, 81-2
Dictyonia, 81-2
Dictyonysus, 81-2
Dictyssa, 81-2
Dicyphus epilobii, 255; *errans*, 118
Drymus sylvaticus, 255
Dyctidea, 81-2
Epacriini, 81, 85
Gaetuliina, 81-2
Gamergomimus africanus (comb. n.), 81
Gamergomorphus, 81-2
Gamergus, 81-2; *africanus*, 81, 85
Heterotoma planicornis, 255
Himacerus mirmicoides, 257
Hysteropterum dorsale, 83; *modestum*, 82
*Impatientinum *asiaticum*, *balsamines*, 185
Ischnodemus sabuleti quadratus, s.
sabuleti, 141
Issidae, 81-4
Issini, 82
Johannesburgia, 81-2
Kiomonia, 81, 85
Leucaspsis, 235
Liocoris tripustulatus, 255
Lipocallia, 81, 84
Lipocalliini, 84
Lygocoris contaminatus, *lucorum*, 255;
pabulinus, 118, 255
Lygus rugulipennis, 255-6
Lyristes, 228
Mangola, 81-2
Mecomma dispar, 257
Megalonotus chiragra, 6, 257; *sabulicola*, 6
Metopopolophium dirhodum, 145
Micronecta scutellaris, 226
Microvelia umbricola, 183
Misodema, 81-2
Mithymna, 85
Mithymnini, 81, 84
Monosynamma sabulicola, 222
Monteira, 81, 85
Nabis ferus, 255-6
Neaethus, 81, 82
Nogodinidae, 81-6
Notostira elongata, 255
Nubithia, 81-2
Nysius ericae, 255-7
Oeciacus hirusundinis, 222
Orius niger, 255; *vicinus*, 255-6
Orthops campestris, *cervinus*, 255
Orthotylus flavosparsus, 255-6
Orthunga, iv
Osbornia, 81-2
Paracoccus vovae, 227
Paragamergomorphus, 81-2

Pentatoma [eggs], 231
Peritrechus geniculatus, 257
Phenacoccus herreni, *manihoti*, *parvus*,
surinamensis, 139-40
Physatocheila, v
Phytocoris varipes, 255
Piesma maculatum, 255-6
Plagiognathus albipennis, 255-6;
arbustorum, *chrysanthemi*, 255
Planococcus **vovae*, 227-8
Psallus falleni, 255
Pseudococcus (*Dactylopius*) *vovae*, 227
Psylla mali, 112
Rhopalosiphum insertum, 112; *padi*, 145-8
Saldula orthochila, 255-7
Scolopostethus affinis, *thomsoni*, 255
Sigara concinna, 221
Sitobion avenae, 148
Spathocera dahlmanni, 257
Stenodema calcaratum, 256; *laevigatum*,
 255-6
Stilpnochlaena, 85
Taphropeltus contractus, 257
Telmosias, 85
Telmessodes, 85
Tibicen, *Tibicina*, 228
Tingis cardui, 255
Trigonotylus ruficornis, 255-6
Uroleucon (*Lambersius*) **erigeronensis*,
 185-6
Xosias, 85

HYMENOPTERA

Acanthostichus brevicornis, 180
Agrothereutes abbreviator, 6
Agrypon tenuicorne, 5
Alloplasta piceator, 5
Alomya, 1; *nigra*, *ovator*, 3
Anastatus catalonicus, 194
Andrena bicolor, 118
Anomalon cerinops, 4; *tenuicorne*, 5
Antidiolcus excisus, 44
Aphanurus, 229
Apis mellifera, 94, 118
Asolcus, 229; *davatchii*, 230; *nigripedius*,
 229; *nixomartini*, *silwoodensis*, 230;
waloffae, 231
Atoposomoidea pulcherrima, 63-6
Bacuma, 42-3
Banchus albitarsus, 4; *calobatus*, 1;
excitator, *falcator*, *fornicator*,
guttatorius, *illusor*, *laevigator*,
monileatus, *nigripes*, *osculatorius*,
pictus, 4
Bassus albosignatus, *anomalus*, *bizonarius*,
festivus, 4; *flavolineatus*, 1; *laetatorius*,
sulcator, 4
Bombus edwardsii, 108; *lapidarius*,
lucorum, 118; *melanopygus*, 108;
pascuorum, 118
Bracon, 39

Calymmochilus dispar, 194
Campodorus caligatus, 6
Camponotus, 179
Cerceris arenaria, *bicornuta*, *clypeata*,
ferrieri, *flavilabris*, *serripes*, 55-7
Chaoilta, 43
Chlorion hemipyrrhum, *mirandum*,
viridocoeruleum, 129-30
Chlorocytus, 191-2; *laogore*, 189-90; spp.,
 189
Chrysonotomyia albiscapus, 193-4
Cirrospilus curvineurus, *donatellae*,
elongatus, **pinicolus**, *singa*, *vittatus*, v.
form pulcherrimus, v. var. *novickyi*, 63-
 8
Citrinopsithyrus (s.g.), 108
Cratobracon, 39, 42-3, 74, 78
Crossocerus leucostoma, *pusillus*, *tarsatus*,
 58
Cryptoprymna atra, 194
Cryptus, 1; *abdominator*, *agilis*, *albatorius*,
albifrons, *analis*, *anatorius*, *areator*,
arrogans, *assertorius*, *bitinctus*, *bicolor*,
bicolorinus, *brachycentrus*, *brachyurus*,
cinctorius, *cingulator*, *curvus*, *dianae*,
erythrostroma, *fasciatus*, *fumator*,
gladiator, *grisescens*, *hopei*, *hortensis*,
jucundus, *leucopus*, *ligator*,
macrobatus, *minator*, *moschator*,
nigrator, *nigrocinctus*, *nitidus*,
obscurus, *palpator*, *peregrinator*,
perspicallator, *procerus*, *profligator*,
quadrispinus, *senilis*, *sperator*,
splendidulus, *sponsor*, *titillator*,
transfuga, *tristator*, *vagans*,
viduatorius, 3-4
Cyanopterus, 76
Cynips divisa, 191
Cyrtogaster degener (= *mallorcensis*), 193-
 4
Dialulinopsis arenaria, 194
Dicaelotus pumilus, *ruficoxatus*, 5
Diglochis sylvicola, 194
Dimeromicrus kiesenwetteri, 194
Dolichovespula norwegica, *saxonica*, 125,
sylvestris, 94
Ectemnius cavifrons, 154
Enicospilus merdarius, 5
Entedon, 191-2; *curculionum*, 188;
diotimus, 194; ?*elongatus*, *hercyna*,
 188-9; *lineatus*, 63; *pharnus*, *rumicis*,
 sp., 188-9
Epiclerus panyas, 194
Erigorgus, 4
Erromenus brunnicans, 6; *junior*, 5
Eulophus lineatus, 63
Eupellmella vesicularis, 190
Eurytoma, 191-2; *curculionum*, 188-90
Exatastes adpressorius, *albitarsus*,
guttatorius, 5
Exochus frenator, 5
Fenusa ulmi, 67
Formica rufa, 93

- Gammabracon**, 73-5; **scrobi**, 73-5
Gastracanthus pulcherrimus, 193-4
Glypta teres, 5
Glyptomorpha, 42-3
Gravenhorstia cerinops, 4
Gronaulax, 42-3
Habrocytus, 191; sp., 189, 191
Holcopelte obscura, 194
Homoporus subniger, 189, 191
Ichneumon amputatorius, anator,
annulator, argiolus, celerator, cessator,
computatorius, confusor, crassipes,
culpatorius, deceptor, deliratorius,
divisorius, erythropygus, extensorius,
fabricator, fasciatorius, flavoniger,
fossorius, fuscipes, gagates,
gracilicornis, grossorius, hilaris,
iocerus, laminator, lanius, latrator,
latrator var., luctatorius, melanogonus,
molitorius, nigratarsus, occisorius,
occupator, ochropis, ornatorius,
pallifrons, pallipes, proteus, pumilus,
quadrimaculatus, ruficoxatus,
rufocoxatus, sanguinatorius,
sarcitorius, sartorius, saturatorius,
subsericans, subsericans var., tergenus,
terminatorius, umbraculosus,
vaginatorius, 3-5
Immsia carinifrons, 229
Ionympha ochus, 194
Iphiaulax annelatus, *ernesti*, *greeni*,
ornaticornis, 44
Iphiaolita, 43
Ipobracon annelatus, 44; *annulicornis*, 37-9
Labiopsithyrus (s.g.), 108
Lasius niger, 93
Lassioglossum albipes, *smeathmanellum*,
118
Leucaspis, 235
Lissonota decimator, *parallela*, 5
Macroneura, 191, *vesicularis*, 189-90
Macropis, 96
Megachile centuncularis, *ligniseca*, 118
Megastigmus **pinus*, 102
Megilla, 96
Meraporus graminicola, 193; *rambouseki*,
193-4
Merinotus, 42-3; *filicaudis*, 44
Merismus megapterus, 194
Mesostenidea ligator, 5
Mesostenus ligator, 5
Messa hortulana, 67
Metallus gei, 67
Microctonus **aethiops*, *apiophaga*, 188
Microphanurus, 229, 231
Monilobracon, 39, 42-3; **speciosus**, 39-42
Nasonia vitripennis, 172
Nedinoschiza, 42-3
Nesaulax, 39, 43, 76; *ernesti*, 42, 44;
excisus, *greeni*, 44; *ornaticornis*, 42, 44;
pravivena, 44
Netelia testaceus, 6
Odontoscopus, 43
Omphale salicis, *theana*, 194
Opinion albidus, *amictus*, *bicolor*,
calcitrans, *cerinops*, *chrysostictus*,
circumflexus, *crassicornis*, *difformis*,
ebeninus, *erythrostoma*, *flaveolatus*,
foliator, *glaucoplerus*, *harpurus*,
jocator, *luteus*, *majalis*, *marginatus*,
merdarius, *mixtus*, *moderator*, *notatus*,
obscurus, *pugillator*, *ramidulus*,
saltator, *tenuicornis*, *testaceus*,
ventricosus, *virgatus*, 3-5
Orthocentrus anomalus, 5; *fulvipes*, 6
Osmia leaiana, 118
Paniscus testaceus, 6
Paranesaulax, 75-7; **nitor**, 76-7
Peridesmia discus, 194
Pezomachus hopei, 6
Pimpla aterrima, *bellator*, *bifolveolata*,
carbonaria, *catenator*, *ceratites*,
cylindrator, *decimator*, *divinator*,
examinator, 3-4; *fairmairii*, 188;
flavicans, *graminellae*, *impressor*,
instigator, *manifestator*, *mediator*,
oculatoria, *parallela*, *persuasoria*,
roborator, *rufata*, *scanica*,
segmentator, *setosa*, *stercorator*, 3-4;
suborbitalis, 1; *sulphurifera*, *teres*,
tuberculata, *turionellae*, *varicornis*, 3-4
Plagiozina pravivena, 44
Platybracon, 43
Plutothrix trifasciatus, 193-4
Procinetus decimator, 5
Psithyrus, 108
Pteromalus cionobius, 194; *larvarum*, 188
Pyrobombus (s.g.), 108
Rhadinobracon, 42-3; *filicaudis*, 44
Rostraulax, 77-9; **vechti**, 78-9
Seladerma geniculatum, 194
Shelfordia, 39, 42-3, 74, 78
Sigalphogastra, 39; *ernesti*, *greeni*,
ornaticornis, 44
Sphegigaster pallicornis, 194; *truncata*,
193-4
Spintherus dubius, 194
Sylvibracon, 37, 42-3, 76; *annelatus*, 38;
annulicornis, 37-9; *filicaudis*, 44
Sympiesis acalle, 194
Teles semistriatus, 229
Telenomus alcon, *arminon*, *belenus*,
nigripes, *theate*, *turesis*, 230-2
Tenthrastichus sp. nr. *tompans*, 189-90; sp.
nr. *evonymellae*, 189-91
Thinodytes cyzicus, 194
Thysanus ater, 194
Trichomalus, 192; *bracteatus/gynatelus*,
189-90
Trigonopsis, 129
Trissolcus brochymenae, *arminon*,
belenus, *davatchii*, *nigripes*,
nixomartini, *silwoodensis*, *theate*,
waloffae, 229-32
Trogus, 1; *lutorius*, 3
Tryphon, 1; *brachycentrus*, *brunnicans*,
caligatus, *elongator*, *erythrocerus*,
filicornis, *fortipes*, *frenator*,

geniculosus, gravipes, indefessus,
 insolens, integrator, laevigatus,
 mansuetor, marginatorius,
 melancholicus, mundus, pastoralis,
 praerogator, prosopius, rutilator,
 semicaligatus, sexlitoratus,
 sulphuratus, testaceus, typhae,
 varitarsus, 4-6
Vespa crabro, 93, 125; *serripes*, 55-7
Vespula germanica, vulgaris, 125
Xorides ater, collaris, dentipes, filiformis,
 irrigator, nitens, pilicornis,
 praecatorius, 4-6
Xylonomus filiformis, 6

ISOPTERA

Anoplotermes, 182
Apicotermitinae, 179-80, 182-3
Armitermes, 182; *neotenicus*, 179
Coptotermes, 179-80
Curvitermes, 179, 182
Dentispicotermes, 180-1
Genuotermes, 180-1
Globitermes sulphureus, 179
Grigiatermes, 179-83
Heterotermes, 179-80
Labiatermes, 182
Macrotermitinae, 179
Nasutitermitinae, 179, 183
Orthognathotermes, 180-1
Paracornitermes, 182
Rhinotermitidae, 179, 183
Ruptitermes, 180; *proratus*, 181-3
Serritermes, 180; *serrifer*, 181-2
Serritermitidae, 179-80
Speculitermes, 180, 182
Syntermes, 179-80
 Termite nest, 69
Termitinae, 179-80
Thinotermitidae, 179

LEPIDOPTERA

Acraea terpsicore, t. *neobule*, t. *seis*, 47-53
Agonoxenidae, 138
Amphipyra berbera svenssoni, *pyramidea*
pyramidea, 184
Antequerinae, 138
Batrochedra pinicolella, *praeangusta*, 138
Batrachedrinae, 138
Blastobasidae, 138
Blastodacna, 138
Caps, 235
Cedestis subfasciella, 68
Celestica, 138
Chambersia, 138
Chlorobaptia, 138
Coleophoridae, 138
Coleotechnites piceaella, 138
Cosmopterigidae, 138

Crinodes, 96
Cydia, 235
Denisia, 138
Depressariodes, 138
Dyseriocrania subpurpurella, 66
Earias insulana, 184
Ectoedemia angulifasciella, *euphorbiella*,
mediofasciella, *spinosella*,
subbimaculella, *suberis*, 66
Elygia, 138
Episcardia, 138
Etainia, 138
Ethmiidae, 138
Euclemensia woodiella, 138
Eudarcia, 138
Eudocima, 138
Euphaedra, 96
Exaeretia ciniflonella, 138
Feldamia zollickofferiella, 66
Formoria septembrella, 66
Gelechiidae, 138
Glyphipteryx, 138
Gnorimoschema vibei, 138
Gracillariidae, 138
Grapholitini, 138
Haplotinea, 138
Helicoverpa, 138
Heliodinidae, 138
Heliethis, 138
Hieroxestis, 138
Laspeyresia, 235
Laspeyresiini, 138
Leucoptera scitella, 66
Lichenovora, 138
Lita virgella, *sexpunctella*, 138
Meessia, 138
Mocis trifasciata, 184
Momphidae, 138
Morophaga, 138
Nepticulidae, 138
Niepeltia minimella, 66
Noctuidae, 138
Obrussa, 138
Ocnerostoma piniariella, 67-8
Oecophoridae, 138
Oegoconia, 138
Oinophila, 138
Opogona, 138
Othreis, 138
Ourocnemis, 96
Parornix angelicella, *scoticella*,
torquillella, 67
Pero, 96
Phyllocnistidae, 138
Phyllonorycter alnifoliella, *blancardella*,
cerasicolella, *dubitella*, *harrisella*,
maestingella, *messaniella*,
oxyacanthae, *quercifoliella*, *quinnata*,
sorbi, *stettinensis*, *tenerella*,
ulmifoliella, 67
Phyratocosma, 138
Pieris napi, 118
Plumipalpia, 138
Pulicalvaria piceaella, 138

Rhopobota naevana, unipunctana, 138
 Scardia, 138
 Schreckensteinia festaliella, 138
 Scoparia, 138
 Scopea, 138
 Spodoptera eridania, 184; exempta, 119-24
 Stathmopoda pedella, 138
 Stenoptinea, 138
 Stigmella alaternella, amygdali,
 anomalella, assimilella, aucupariae, 66;
 aurella, 66, 115-6; basiguttella,
 betulicola, catharticella, confusella,
 floslactella, glutinosae, hemargyrella,
 lapponica, luteella, perpygmaeella,
 pomella, pubescivora, rhamnella,
 rhamnophila, roborella, ruficapitella,
 sorbi, 66; splendidissimella, 115-7;
 suberivora, tityrella, trimaculella,
 ulmivora, 66
 Symmoca, 138
 Tenaga, 138
 Tineidae, 138
 Tischeria angusticolella, 66
 Tortricidae, 138
 Tortrix viridana, 245-51
 Trifurcula cryptella, 66
 Vanessa, 118
 Zygaena anthyllidis, 235

ODONATA

Anax imperator mauricianus, 157, 159
 Brachythemis leucosticta, 157, 160
 Coenagrion lunulatum, 128
 Crocothemis erythraea, 157, 160
 Diplacoides lefebvrei, 157
 Hemianax ephippiger, 157, 159
 Ictinogomphus ferox, 157, 159
 Ischnura senegalensis, 157, 159, 160
 Lestes icterius, pallidus, 157, 160
 Macromia africana, 158
 Nesciothemis farinosum, 157
 Orthetrum lugubris, 158, sabina, 157
 Pantala flavescens, 157, 160
 Paragomphus pumilio, 157, 159
 Pseudagrion hamoni, niloticum,
 sudanicum sudanicum, 157; torridum,
 159
 Sympetrum danae, scoticum, striolatum,
 150; spp., 158
 Trithemis annulata scortecii, 157, 159, 160
 Urothemis edwardsi, 157, 158

ORTHOPTERA

Decticus verrucivorus, 140
 Gryllus sp., 130
 Tridactylus madecassus, 226

PHTHIRAPTERA

Pediculus humanus, h. capitis, h. humanus,
 207-10
 Pthirus pubis, 207-10

PSOCOPTERA

Caeciliidae, 235
 Ectopsocus meridionalis, 211
 Graphocaecilius enderleini, 215;
 interpretatus, 214; normalis, 215;
 vartyi, 213-5
 Philotarsus fraternus, jamaicensis,
 kwakiutl, parviceps, picicornis, 213;
 thorntoni, 211-3

SIPHONAPTERA

Callopsylla waterstoni, 59, 61
 Ceratophyllus farreni farreni, fringillae,
 gallinae, hirundis, rusticus, 59-62
 Ctenocephalides felis felis, 207-8
 Frontopsylla laeta, 59, 61
 Pulex irritans, 207, 210
 Xenopsylla cheopis, 209

TRICHOPTERA

Enomus tenellus, 178
 Glossosomatidae, 166
 Goeridae, 235
 Hydropsyche, 166
 Hydroptilidae, 166
 Philopotamidae, 166
 Rhyacophilidae, 166
 Trichostomatidae, 235

GROUPS OTHER THAN INSECTA AND ARACHNIDA

Amphibia, 235
 Aves, 59-62, 145
 Myriapoda, 45-6, 87-92
 Protozoa, 182, 209

ERRATA AND CORRIGENDA

Page	Line	For	Read
118	17	<i>pipens</i>	<i>pipiens</i>
125	14 (up)	<i>norweigica</i>	<i>norwegica</i>
139	(title) 2	<i>O.</i>	<i>P.</i>
171	11 (up)	<i>S. friuliensis</i>	<i>D. friuliensis</i>
219	7 (up)	<i>Culimnius</i>	<i>Oulimnius</i>

